
**BMW X5 G65**
SUV
From 08/2026






| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Airbag | | Stored gas inflator | | Seat belt pretensioner | | SRS control unit | | Pedestrian protection active system |
| | Gas strut / Preloaded spring | | Battery low voltage | | Fuel tank content gasoline/ethanol | | Body reinforcement | | |

©2026 BMW AG Munich, Germany

## 1. Identification / recognition

### Vehicle identification features

Badge and optional inscription in front and rear areas.




## 2. Immobilisation / stabilisation / lifting


### Immobilisation

Press the "Start / Stop" OFF button (1) of the vehicle

Press the "Handbrake button" (2) of the vehicle





### Stabilisation / lifting points



## 4. Access to the occupants


## Interfaces & glass types

1 – Interfaces in order to remove the roof
2 - Door lock
3 - Door hinges
A - Laminated safety glass
B - Single-layer safety glass




## Mechanical emergency release

To open the door if the vehicle electrical system is not available, overextend the door openiner (a; b).




## 5. Stored energy / liquids / gases / solids

| | | |
|---|---|---|
| | | 48 V Li Ion |
| | | 83 l |
| | | 550 g |

## 6. In case of fire

**There is still a danger of injury even after a fire!**
Use personal protective equipment identical to that for conventional vehicle fires.

## 7. In case of submersion


### Vehicle in and under water

After the vehicle has been recovered from the water, disconnect the battery low voltage (negative terminal).

## 8. Towing / transportation / storage




The vehicle must only be transported on a tow truck or car transporter with both axles on board.
Keep at a safe distance from other vehicles.



## 9. Important additional information

This document shows all national-market versions and the maximum equipment of the vehicle.