




Citroën C5x Hybrid (Electric)

5 doors / 5 seats / Hatchback

(04/2022/ ->)




	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Pedestrian protection active system
			Gas strut / Preloaded spring		High strength zone		Zone requiring special attention		
	Battery low voltage								
	Battery pack, high-voltage		High voltage power cable						
			Low voltage device that disconnects high voltage		Fuel tank content gasoline/ethanol				

	ID N°	N° de version	Date version	Page
	01365_22_00232	1	02.08.22	1/4

1. Identification / recognition




2. Immobilisation / stabilisation / lifting



Do not place cribbing such as wooden blocks or rescue air lifting bags under the fuel system or high voltage power cables. Doing so may result in fuel leaks, fire, or electric shock.

3. Disable direct hazards / safety regulations

Main disabling method




STELLANTIS	ID N°	N° de version	Date version	Page
	01365_22_00232	1	02.08.22	2/4


4. Access to the occupants



Seat adjustment



Column adjustment



5. Stored energy / liquids / gases / solids

	12V	
	400V/ 12,4 kW/h	
	0,9L	
	40L	

when coolant leaks from the battery pack, it can become unstable with risk of thermal runaway. Check battery pack temperature with thermal imaging camera.

6. In case of fire

Use large amount of water






7. En cas d'immersion

Remove the vehicle from the water then refer to chapter 3, Disable direct hazards / safety regulation

8. Towing / transportation / storage

Location front and rear hook



STORE AT SAFE DISTANCE FROM OTHER VEHICLES




RE-IGNITION POSSIBLE !


9. Important additional information



12V




12V



High voltage power cable

10. Explanation of pictograms used



Deactivate the hands-free key



Bonnet



Use water to extinguish the fire



Warning, Electricity



Explosive



Corrosive



Hazardous to the human health

	ID N°	N° de version	Date version	Page
	01365_22_00232	1	02.08.22	4/4