


# **DEEPAL**

# **DEEPAL S07**

5 doors, 5 seats, SUV 2024 -









Airbag Control Unit



Power Strut



High Voltage Harness



High Strength Area



Airbag Gas Generator Emergenc



Seatbelt Pretensioner



Safety Airbag



Power Battery



Emergenc y Cut-off Point



12V Battery



High Voltage Components

Name Number.	Version Number.	Version Date.	Page Number.
DEEPAL S07-202403-001	01	03/ 2024	1/4



## **DEEPAL**

## **DEEPAL S07**

5 doors, 5 seats, SUV 2024 -



## 1. Confirmation/Identification



Even if the sound of the engine running is not heard, it does not mean that the vehicle is turned off. Before the vehicle is completely shut down, there is a capability of silent movement or instant restart, please wear appropriate personal protective equipment.



## 2. Secure/Stabilize/Lift

1. Make the vehicle immobile



- 1 Block the wheels and set the parking brake
- 2 Engage Park Gear and apply parking brake


## 2. Stabilize lifting points



- Appropriate stabilization/lifting points
- Appropriate stabilization points on the vehicle
- High Voltage Battery

#### 3. Eliminate Threats/Safety Hazards

Cut the emergency cut-



## Steps:

- 1) Open the hood
- 2 Remove the front headlight trim assembly (right)
- 3 Cut the emergency cut-off point, within the effective range of the harness
- 2. Disconnect the 12V power supply





## Steps:

- 1) Open the rear back (
- 2 Remove the right side trim cover of the trunk.
- 3 Disconnect the negative cable harness.



Do not touch, cut, or open high-voltage components and batteries! Wear appropriate personal protective equipment.

Name Number.	Version Number.	Version Date.	Page Number.
DEEPAL S07-202403-001	01	03/ 2024	2/4



# **DEEPAL**


# **DEEPAL S07**

5 doors, 5 seats, SUV 2024 -



#### 4. Rescue lane construction






A: Tempered glass B: Laminated layer







Car door lock release -







Latch release internal



Steering wheel adjustmen



**Emergency internal** 

## 5. Remaining battery/liquefied gas/fuel/solid fuel levels

000 000		12V
		352V
*	<b>*</b>	480g

#### 6. Vehicle fire



Use large amounts of water to extinguish the fire (If it is difficult to provide a large amount of water, let the power battery burn out on its own)



Risk of re-ignition of the power battery!






Additional information on warning gas strut actions in case of a fire

> ■ Risk of missile effect from gas struts/preloaded springs on engine hoods and tailgates





Name Number.	Version Number.	Version Date.	Page Number.
DEEPAL S07-202403-001	01	03/ 2024	3/4



# **DEEPAL S07**

5 doors, 5 seats, SUV 2024 -



When dealing with any water-submerged vehicle, wear appropriate personal protective equipment. Before starting any operations, try to pull the vehicle out of the water as much as possible, secure the vehicle, and disable it (refer to Chapter 3).

Tilt the vehicle to one side to let the water drain from the vehicle and the high-voltage battery.

## 8. Towing/transfer/storage







Risk of re-ignition of the power battery!









#### 9. Other important information

For details, please refer to the "Emergency Response Guide"

## 10. Use of the symbols explained



Warning high voltage



General warning sign



Air conditioning system components



Electric vehicle



Engine hood



Rear back door



Use thermal imaging camera



Flammable



Harmful to human health



Corrosive substances



Toxic substances



Compressed gas



Explosive



Use water for fire extinguishing

Name Number.	Version Number.	Version Date.	Page Number.
DEEPAL S07-202403-001	01	03/ 2024	4/4