






Crew Cab, Extended Cab and Regular Cab(2020-)



Legend

Fuel tank content Diesel

		Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Pedestrian protection active system
		Automatic rollover protection system		Gas strut / Preloaded spring		High strength zone		Zone requiring special attention		
0	000	Battery low voltage	HH	Ultra capacitor, low voltage		Fuel tank		Gas tank		Safety valve
	<u> </u>	High voltage battery pack	1	High voltage power cable / component	9	High voltage disconnect		Fuse box disabling high voltage system	<u> </u>	Ultra capacitor, high voltage
Г							-			


	ID No.	Version No.	Page No.
N	/IPA-TF-RSE-2001-01	01	1 of 4



SUZU D-MAX Crew Cab, Extended Cab and Regular Cab (2020-)

Identification / recognition








Extended Cab (4doors - 4seaters)




Immobilization / stabilization / lifting

- 1. Block wheels and set parking brake.
- 2. Operate the selector lever to "P" position. (automatic transmission)



Disable direct hazards / safety regulations





Do not apply excessive force to nor strongly hit the airbag installation area.

Driver's seat has a far side airbag in addition to the side airbag. Location of far side airbag is shown in the mark 3. on page 1.





ID No.	Version No.	Page No.
MPA-TF-RSE-2001-01	01	2 of 4




ISUZU D-MAX Crew Cab, Extended Cab and Regular Cab (2020-)

4. Access to the occupants






Steering column adjustment



Seat adjustment



When operating the power seat, battery power is required.

5. Stored energy / liquids / gases / solids

000000	12V
	76 I
	530 g

ID No.	Version No.	Page No.
MPA-TF-RSE-2001-01	01	3 of 4



ISUZU D-MAX Crew Cab, Extended Cab and Regular Cab(2020-)

6. In case of fire



USE LARGE AMOUNTS OF WATER














8. Towing / transportation / storage


STORE AT SAFE DISTANCE FROM OTHER VEHICLES!











10. Explanation of pictograms used

	Smart key distance	Risk of flammability
<u>^</u>	Caution	Risk of damaging human health
₩	Air-conditioning component	Risk of acute toxicity
	Bonnet	Risk of an explosion
	Use water to extinguish the fire	Risk of corrosive material / substances
6	Device to shut down power in vehicle	

ID No.	Version No.	Page No.
MPA-TF-RSE-2001-01	01	4 of 4