




RENAULT Austral

(2022 -)



	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Pedestrian protection active system
	Automatic rollover protection system		Gas strut / Preloaded spring		High strength zone		Zone requiring special attention		
	Battery low voltage		Ultra-capacitor, low-voltage		Fuel tank		Gas tank		Safety valve
	Battery pack, high-voltage		High voltage power cable		High voltage device that disconnects high voltage		Fuse box disabling high voltage		High voltage ultra-capacitor

In consultation with



MINISTÈRE DE L'INTÉRIEUR

Internal reference

RS-HHN-2022

Version date

21/07/2022

Version

1

Page


1 / 4

1. Identification / recognition




2. Immobilisation / stabilisation / lifting

Immobilisation





Engine shutdown



3. Disable direct hazards / safety regulations

12 Volts Battery




1 - Engine shutdown

2 - Disconnect the negative terminal (-)


Internal reference	Version date	Version	Page
RS-HHN-2022	21/07/2022	1	2 / 4

12 Volts Battery / 48 Volts battery : Lithium-Ion




Automatic safety by disconnecting the 12 Volts Battery

4. Access to the occupants





POSSIBLE MOVEMENT OF SEATS






Internal reference	Version date	Version	Page
RS-HHN-2022	21/07/2022	1	3 / 4

HARDENED STEEL



5. Stored energy / liquids / gases / solids


		48 L
	Lithium-Ion	12 V or 48 V

6. In case of fire



TAILGATE GAS STRUTS



Risk of missile effect of gas struts



10. Explanation of pictograms used

	Vehicle on fuel of liquid group 2				
	Remove smart key		Bonnet		Boot
	Flammable		Hazardous to the human health		Environmental hazard