


RENAULT CLIO 6 E-Tech Hybrid

5 doors / 5 seats / Hatchback 2025-01





In consultation with

Internal reference	Date	Version	Page
RS-B1318-HEV-2025	01/06/2025	1	1 / 4

1. Identification / recognition




2. Immobilization / stabilization / lifting



No lift zone





Orange wiring area

3. Disable direct hazards / safety regulations

12 Volt battery









The 12V battery automatically turns off

In the event of an airbag deployment or violent rear impact,

In case of extrication, disconnect the 12V battery

200 Volt battery




Any activation of the airbag in front impact or the rear belt pre-tensioner in rear impact guarantees an automatic disconnection of the 200V battery:

No disconnection system => no manual action required




Internal reference	Date	Version	Page
RS-B1318-HEV-2025	01/06/2025	1	2 / 4

4. Access to the occupants




Steering column: hollow, fragile at the wheel

POSSIBLE SEAT MOVEMENTS



REINFORCED STEELS



5. Stored energy / liquids / gases / solids



Lithium-Ion

1,4 kW/h

200V

Aluminum housing







39L

6. In case of fire

Extinguishing a traction battery fire
















Non-plug-in hybrid => Dedicated port no need => Conventional extinguishing procedure

GAS SPRINGS





Risk of missile effect of cylinders



In consultation with

Library Francisco
REPUBLIQUE PRANCASE

MINISTÈRE DE L'INTÉRIEUR

Internal reference	Date	Version	Page
RS-B1318-HEV-2025	01/06/2025	1	3 / 4

7. In case of submersion



No electrical risk

8. Towing / transportation / storage














10. Explanation of pictograms used





Internal reference	Date	Version	Page
RS-B1318-HEV-2025	01/06/2025	1	4 / 4