


# RENAULT KANGOO 3





All type (2021 - )



	Airbag		Stored gas inflator	Seat belt pretensioner	SRS control unit		Pedestrian protection active system
	Automatic rollover protection system		Gas strut / Preloaded spring	High strength zone	Zone requiring special attention		
000 000	Battery low voltage	HH	Ultra- capacitor, low- voltage	Fuel tank	Gas tank	Image: Control of the	Safety valve
0 0	Battery pack, high-voltage	2	High voltage power cable	High voltage device that disconnects high voltage	Fuse box disabling high voltage	-4-	High voltage ultra- capacitor



Internal reference	Version date	Version	Page
RS-XFK VP-2021-1	01/03/2021	1	1 / 4

# 1. Identification / recognition



### 2. Immobilisation / stabilisation / lifting

### **Immobilisation**



### **Engine shutdown**



Or START ENGINE STOP





## 3. Disable direct hazards / safety regulations

#### **12 Volts Battery**










- 1- Engine shutdown
- 2- Disconnect the negative terminal (-)

In consultation with	Internal reference
Libert's Equito - Francount REPUBLIQUE FRANCAISE	
MINISTÈRE DE L'INTÉRIEUR	RS-XFK VP-2021-

Internal reference	Version date	Version	Page
RS-XFK VP-2021-1	01/03/2021	1	2 / 4

# 4. Access to the occupants

#### **HARDENED STEEL**



#### TRUNK OPENING FROM THE INSIDE




Internal manual opening button


#### **STEERING COLOMN**



Hollow and breakable with tools

## POSSIBLE MOVEMENT OF SEATS










Internal reference	Version date	Version	Page
RS-XFK VP-2021-1	01/03/2021	1	3 / 4

## 5. Stored energy / liquids / gases / solids



## 10. Explanation of pictograms used



Internal reference	Version date	Version	Page
RS-XFK VP-2021-1	01/03/2021	1	4 / 4