




48 V
LI-ION
(optional)



Note: The illustration shows the maximum possible equipment.

	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Fuel tank content gasoline
	Gas strut / Preloaded spring		High strength zone		Zone requiring special attention		Battery low voltage		

Brand	Modele	Year of Launch	Internal reference	Creation date	Update date	Version	Page
SEAT	LEON	2024	VSS-KLG1C50	10/04/2024	05/07/2025	2	1 / 3



SEAT LEON

5 doors / 5 seats / hatchback
From 2024



SEAT

1. Identification / recognition

Front logo



Rear logo






The logo may not be present

2. Immobilisation / stabilisation / lifting

Immobilise the vehicle

1. Engage the electric parking brake. (see steps a and b)
2. Switch off the ignition (see chapter 3).
3. Secure the vehicle to prevent it from moving.

Suitable lifting points



 Suitable lifting points

3. Disable direct hazards / safety regulations

Switch off ignition



Press the START - ENGINE - STOP button located in the center console without pressing the brake pedal.




Keep the vehicle key and/or smartphone app further than 5 m away from the vehicle.

Disconnecting the 12-volt battery



1. Locate the 12 V battery located on the left side of the engine compartment.
2. Disconnect the negative terminal of the battery from the onboard network.

Disconnecting the 48-volt battery




1. Move the passenger seat backward
2. Remove the protective cover of the 48V battery
3. Disconnect all connectors



In the event of an accident in which the airbag is deployed, the 48-volt vehicle electrical system is automatically deactivated immediately after detecting the airbag deployment.

Brand	Modele	Year of Launch	Internal reference	Creation date	Update date	Version	Page
SEAT	LEON	2024	VSS-KLG1C50	10/04/2024	05/07/2025	2	2 / 3

4. Access to the occupants



Glass types:

- ① Laminated safety glass
- ② Tempered glass

5. Stored energy / liquids / gases / solids



Max. 50 L



12 V



LI-ION




48 V
Lithium-Ion
Optional

6. In case of fire



Lithium-ion batteries can self-ignite or reignite after extinguishing the fire!
Wear appropriate protective equipment!



7. In case of submersion

After rescuing the vehicle the water, drain the water. Wear appropriate protective equipment!

8. Towing / transportation / storage




Do not tow a vehicle that has been involved in an accident on its drive axles.

9. Important additional information

Rescue manual for SEAT: www.seat.com

10. Explanation of pictograms used

							
Flammable	Corrosives	Hazardous to the human health	Environmental hazard	Acute toxicity	General warning sign	Use water to extinguish the fire	Use thermal Infrared camera
							
Remove smart key	Bonnet	Fuel tank content Diesel	Vehicle on fuel of liquid group 1	Vehicle on fuel of liquid group 2			

Brand	Modele	Year of Launch	Internal reference	Creation date	Update date	Version	Page
SEAT	LEON	2024	VSS-KLG1C50	10/04/2024	05/07/2025	2	3 / 3