



Volkswagen **Tayron** SUV, from 2024 5-door, 7-seater












Airbag		Stored gas inflator	Belt tensioner	SRS Control unit	Gas strut / Preloaded spring
High strength zone	000 000	Battery low voltage	Fuel tank		



1. Identification / recognition

Lettering on rear



Lettering on dash panel




2. Immobilisation / stabilisation / lifting

Immobilising the vehicle



- 1 Press the "P" button in the right steering column switch
- Operate the electronic parking brake in the centre console
- 3 Secure the vehicle to prevent it from rolling away

Lifting points



Appropriate lifting points

3. Disable direct hazards / safety regulations

Switching off the ignition



Press the "Start-Engine-Stop" button in the centre console without operating the foot brake.



Remove vehicle key, key card and/or smartphone app so that they are more than 5 m away from the vehicle if possible.

Disconnecting 12-volt vehicle battery



In the engine compartment
Disconnect the negative battery terminal


The 12-volt electrical system is used for functions such as unlocking and opening electrically operated doors and flaps, and for electric seat adjustment.



After disconnecting the 12-volt vehicle electrical system voltage, the airbags are deactivated. Unignited airbags can be triggered by heat in the event of a fire!

 Additional information
 Document number
 Version
 Page

 rds_vwn_336_021_en
 01 (11/2024)
 2 of 4




Disconnecting 48-volt vehicle battery



In the event of an accident in which the airbag is triggered, the 48-volt vehicle electrical system is automatically deactivated immediately after airbag triggering is detected.

For all other cases, the 48-volt vehicle electrical system can be deactivated as follows:



- Move the right seat all the way back.
- Remove the battery cover in the footwell on the right side of the vehicle.
- Disconnect the control cable and purple battery cables.

4. Access to the occupants



Glass types:

- Laminated glass
- Tempered glass
- 3 Laminated glass optional

5. Stored energy / liquids / gases / solids









Diesel or petrol max. 58 l











48 V Lithium-ion











12 V

6. In case of fire












Lithium-ion batteries can self-ignite or re-ignite after fire-fighting measures! Wear appropriate personal protective equipment!

7. In case of submersion

After recovery, allow the water to drain and disconnect the battery/batteries (see section 3). Wear appropriate personal protective equipment!

 Additional information
 Document number
 Version
 Page

 rds_vwn_336_021_en
 01 (11/2024)
 3 of 4



8. Towing / transportation / storage




Do not tow away a vehicle that has been in an accident on the drive axles.

9. Important additional information

Volkswagen Guideline for Rescue Services: www.volkswagen.de

10. Explanation of pictograms used



 Additional information
 Document number
 Version
 Page

 rds_vwn_336_021_en
 01 (11/2024)
 4 of 4